



Flexible Couplings & Connecting Pipes

Flexible couplings and connecting pipes are an integral part of accessory products offered by ROC Components. Both of these products are available in different materials, sizes, and configurations. The flexible couplings are available in polyamide (max. 20 bar), 304/316L, duplex, super duplex and 2.54 SMO, and can be supplied in various types of finish - galvanized or painted.

The connecting pipes and manifolds come in different shapes and dimensions, and are also available in various materials.

Both of these products are manufactured to high standards, which makes them very durable and resistant to corrosive environments.





ROC Components specializes in supplying polyamide and stainless steel couplings for the water, wastewater, and seawater treatment industries, as well as certain chemical process industries.

Flexible Couplings

- Operating pressure range of 10 to max. 85 bar
- Various diameters (1.5/2.0/2.5/3.0/4.0/5.0 inch)
- Selection of materials (polyamide, SS 304, 316 galvanized/painted, duplex)

Connecting Pipes

- Wide range of forms (90° elbows, U-form, straight pipes grooved, etc.)
- Selection of materials (SS 304, 316 galvanized/painted, duplex)
- Operating pressure range of 10 to max. 85 bar
- Various diameters (1.5/2.0/2.5/3.0/4.0/5.0 inch)

For complete product information and availability, please contact ROC Components or visit www.roc-ch.com

